

NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY



OFFICER FLAGS

FLAG PARTS CAN BE FOUND ACROSS **VARIOUS ARMOURED CLASH** SPRUES AND THE **BASES** SPRUE

THERE ARE VARIOUS FLAG OPTIONS ACROSS ARMOURED CLASH SPRUES USED TO DEFINE LEADER MODELS WITHIN UNITS

ARMOURED CLASH SPRUES WILL CONTAIN VARIOUS OPTIONS FOR THE OFFICER'S FLAG, THESE CAN BE APPLIED TO A SUITABLE AREA ON ANY MODEL NOT SITUATED ON A BASE




ON THE **BASES** SPRUE YOU WILL FIND A PENNANT FLAG AND BASE THAT INCLUDES A PORT FOR IT



THIS PARTICULAR COMBINATION CAN BE USED WITH UNITS TO DEFINE A MODEL THAT CONTAINS AS AN OFFICER (PARTICULARLY WITH FIGURES SETS THAT DO NOT CONTAIN A FLAG BEARER)



PORT




NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY



TSAR BATTLE TANK BODY ASSEMBLY

PARTS CAN BE FOUND ON THE **COMMONWEALTH ARMOURED REGIMENT** SPRUES




NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY



TSAR BATTLE TANK

PARTS CAN BE FOUND ON THE **COMMONWEALTH ARMOURED REGIMENT** SPRUES




NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY



TSAREVNA STRIKE TANK BODY ASSEMBLY

PARTS CAN BE FOUND ON THE **COMMONWEALTH ARMoured REGIMENT** SPRUES




NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY



TSAREVNA STRIKE TANK

PARTS CAN BE FOUND ON THE **COMMONWEALTH ARMoured REGIMENT** SPRUES




EXAMPLES
SHOWING BOTH
THE OFFICER
(RIGHT) AND
THE STANDARD
MODEL (LEFT)

NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY



WINGED HUSSAR TREADBIKES


PARTS CAN BE FOUND ON THE **COMMONWEALTH ARMoured REGIMENT** SPRUES



NOTE THE OFFICER (PART 29) SHOWN ON THE BIKE (PART 19) MUST APPEAR ON ONE OF THE MODEL BASES



EXAMPLES SHOWING BOTH THE OFFICER (BELOW) AND STANDARD MODELS (RIGHT)



THE OFFICER BASE CAN BE PLACED ON A **PENNANT FLAG BASE** OR HAVE A **FLAG ATTACHED** (SEE PAGE 6) IN ORDER TO FURTHER DEFINE THE MODEL AS AN OFFICER




*IF USING THE HUSSAR OFFICER FROM A SPRUE THEN ONE OF THE STANDARD TREADBIKE TROOPS WILL NEED TO BE SUBSTITUTED

NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY



RYADOVOY RODINA

PARTS CAN BE FOUND ON THE **COMMONWEALTH ARMoured REGIMENT** SPRUES



EXAMPLES SHOWING BOTH THE OFFICER (*BELOW*) AND STANDARD MODELS (*RIGHT*)

THE OFFICER BASE CAN HAVE A FLAG ATTACHED (*SEE PAGE 6*) IN ORDER TO FURTHER DEFINE THE MODEL AS AN OFFICER






NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY



KHESHIG SKY CUTTER WINGS

PARTS CAN BE FOUND ON THE **COMMONWEALTH ARMOURED REGIMENT** SPRUES




EXAMPLES
SHOWING BOTH
THE OFFICER
UPGRADE (LEFT)
AND A STANDARD
MODEL (RIGHT)

NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY




STEPPE OUTRIDER CAVALRY

PARTS CAN BE FOUND ON THE **COMMONWEALTH ARMOURD REGIMENT** SPRUES



NOTE: ONE MODEL MUST INCLUDE THE OFFICER (PART 53) AND HIS HORSE (PARTS 54 AND 55)




ANY COMBINATION OF THE STEPPE OUTRIDER CAVALRY CAN BE ADDED TO THE STANDARD BASES

BLANK STANDS CAN BE ADDED TO BASES TO FILL SPACES NOT OCCUPIED BY A CAVALRYMAN

EXAMPLES SHOWING BOTH THE OFFICER (BELOW) AND STANDARD MODELS (RIGHT)



THE OFFICER BASE CAN BE PLACED ON A **PENNANT FLAG BASE** OR HAVE A **FLAG ATTACHED** (SEE PAGE 6) IN ORDER TO FURTHER DEFINE THE MODEL AS AN OFFICER



NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY




RYADOVOY RIFLE PLATOON

PARTS CAN BE FOUND ON THE **COMMONWEALTH INFANTRY REGIMENT** SPRUES

NOTE: UPGRADED COMMANDERS (RESIN) SHOULD APPEAR ON ONE BASE TO DEFINE THE LEAD MODEL



NOTE: ANY COMBINATION OF THE TROOPS CAN BE ADDED TO THE STANDARD BASES



EXAMPLES SHOWING BOTH THE UPGRADED COMMANDER (LEFT) AND STANDARD MODELS (RIGHT)

NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY



COSSACK OVCHARKA WAR DOGS

PARTS CAN BE FOUND ON THE **COMMONWEALTH INFANTRY REGIMENT** SPRUES

NOTE: ONE MODEL MUST INCLUDE AN OFFICER (PART 38)



38

TROOPS STAND BEHIND THE WAR DOGS



39



40



5



6



43



44




45




46

NOTE: ANY COMBINATION OF THE TROOPS CAN BE ADDED TO THE STANDARD BASES

EXAMPLES SHOWING BOTH THE OFFICER (*BELOW*) AND STANDARD MODELS (*RIGHT*)



THE OFFICER BASE CAN BE PLACED ON A **PENNANT FLAG BASE** OR HAVE A **FLAG ATTACHED** (*SEE PAGE 6*) IN ORDER TO FURTHER DEFINE THE MODEL AS AN OFFICER





NOTE: RINSE SPRUES IN WARM
SOAPY WATER TO REMOVE ANY
MOULD RELEASE BEFORE ASSEMBLY



KROT HEAVY BORER BODY ASSEMBLY

PARTS CAN BE FOUND ON THE **COMMONWEALTH INFANTRY REGIMENT** SPRUES





NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY



KROT HEAVY BORER

PARTS CAN BE FOUND ON THE **COMMONWEALTH INFANTRY REGIMENT** SPRUES



ONE BORER SHOULD
INCLUDE THE OPEN
HATCH OPTION
(ABOVE) TO DEFINE
THE OFFICER,
ALL OTHERS ARE
CLOSED (BELOW)




EXAMPLES SHOWING
BOTH THE OFFICER
(LEFT) AND STANDARD
MODELS (RIGHT)

NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY



DIKOBRAZ ARTILLERY BORER BODY ASSEMBLY CONTINUED

PARTS CAN BE FOUND ON THE **COMMONWEALTH INFANTRY REGIMENT** SPRUES





NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY





DIKOBRAZ ARTILLERY BORER BODY ASSEMBLY

PARTS CAN BE FOUND ON THE **COMMONWEALTH INFANTRY REGIMENT** SPRUES

SEE **PAGE 19** FOR
REAR SECTION
ASSEMBLY



PART 58 MUST
BE IN THE TOP
POSITION AS
SHOWN IN ORDER
FOR THE LOCATORS
TO ALIGN – ALSO
ATTACH DRILL
AFTER **PART 29/31**
IS ATTACHED



NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY



DIKOBRAZ ARTILLERY BORER

PARTS CAN BE FOUND ON THE **COMMONWEALTH INFANTRY REGIMENT** SPRUES

16

36

ONE BORER SHOULD
INCLUDE THE OPEN
HATCH OPTION
(ABOVE) TO DEFINE
THE OFFICER, ALL
OTHERS ARE CLOSED
(BELOW)

37



SEE **PAGE 12**
FOR ASSEMBLY





EXAMPLES
SHOWING BOTH
THE OFFICER
(LEFT) AND
STANDARD
MODELS (RIGHT)

NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY



AZHDAYA BESERKERS

PARTS CAN BE FOUND ON THE **COMMONWEALTH INFANTRY REGIMENT** SPRUES




NOTE: ANY COMBINATION OF THE AZHDAYA BESERKERS CAN BE ADDED TO THE STANDARD BASES

NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY




GOBYATA FIELD GUNS

PARTS CAN BE FOUND ON THE **COMMONWEALTH INFANTRY REGIMENT** SPRUES



BLANK STANDS CAN BE ADDED TO BASES TO FILL SPACES NOT OCCUPIED BY A FIGURE WHICH, IN TURN, IS USED TO OCCUPY THE GUN

SUGGESTION: ANY COMBINATION OF TWO TROOPS SHOULD BE ADDED TO THE OPEN SLOTS



THE OFFICER BASE CAN BE PLACED ON A **PENNANT FLAG BASE** OR HAVE A **FLAG ATTACHED (SEE PAGE 6)** IN ORDER TO FURTHER DEFINE THE MODEL AS AN OFFICER




NOTE: RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY




TRYASTI SEISMIC MORTARS

PARTS CAN BE FOUND ON THE **COMMONWEALTH INFANTRY REGIMENT** SPRUES




BLANK STANDS CAN BE ADDED TO BASES TO FILL SPACES NOT OCCUPIED BY A FIGURE WHICH, IN TURN, IS USED TO OCCUPY THE GUN

SUGGESTION: ANY COMBINATION OF TWO TROOPS SHOULD BE ADDED TO THE OPEN SLOTS



THE OFFICER BASE CAN BE PLACED ON A **PENNANT FLAG BASE** OR HAVE A **FLAG ATTACHED** (SEE PAGE 6) IN ORDER TO FURTHER DEFINE THE MODEL AS AN OFFICER



NOTE: RINSE SPRUES IN WARM
SOAPY WATER TO REMOVE ANY
MOULD RELEASE BEFORE ASSEMBLY



SUBTERRANEAN MARKERS

PARTS CAN BE FOUND ON THE **COMMONWEALTH INFANTRY REGIMENT** SPRUES

