



RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY.

OLYMPIA CONVEYOR LOWER BOW, HULL & STERN

PARTS CAN BE FOUND ON THE **TITAN CLASS HEAVY CONVEYOR** SPRUES

II IMPORTANT II
PICK REQUIRED
BUILD (TITAN OR
OLYMPIA CLASS)
ON PAGES 22-27,
BEFORE ANY
ASSEMBLY

COMPLETED
SINGLE BODY
VESSEL HULL CONSIDER THE
POSITION OF
FLIGHT STAND
BEFORE ANY
ASSEMBLY





PARTS 40 WILL ONLY REQUIRE PART 42-43 IN ONE SECTION WHEN ASSEMBLING THE DOUBLE BODY VESSEL (NOT REQUIRED ON SINGLE HULL VERSION) – CONSIDER THE POSITION OF FLIGHT STAND BEFORE ANY ASSEMBLY

* HOLE FOR FLIGHT STAND

42-43

THE EXTRA SECTION FOR THE DOUBLE BODY VESSEL CAN BE ROTATED TO FIT EITHER THE FRONT OR BACK OF THE SINGLE SECTION (FAR LEFT) – CONSIDER THE POSTION OF FLIGHT STAND BEFORE ANY ASSEMBLY



\$








TITAN & OLYMPIA CONVEYOR UPPER BOW & STERN

PARTS CAN BE FOUND ON THE TITAN CLASS HEAVY CONVEYOR SPRUES









PARTS CAN BE FOUND ON THE TITAN CLASS HEAVY CONVEYOR SPRUES

SINGLE BODY VESSEL (OR FRONT OF DOUBLE BODY **VESSEL)**

NOTE: THE SINGLE BODY VESSEL ONLY REQUIRES PART 7 (INDICATED RED) -IF PART OF THE DOUBLE BODY VESSEL THEN PART 7 IS OMITTED HERE

DOUBLE BODY VESSEL ONLY (REAR SECTION)

NOTE: WHEN CONSTRUCTING A DOUBLE BODY VESSEL THEN PART 7 (INDICATED RED) MOVES TO THE REAR OF THIS SECTION - SEE NOTE LEFT



















*REPEAT ATTACHMENT OF PARTS 49-52 ON OPPOSITE SIDE OF MODEL

2



♦







RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD RELEASE BEFORE ASSEMBLY.




PARTS CAN BE FOUND ON THE TITAN CLASS HEAVY CONVEYOR SPRUES




BOTH EXAMPLES BELOW SHOWN WITH PASSENGER CARGO SECTIONS





\$
























RINSE SPRUES IN WARM SOAPY WATER TO REMOVE ANY MOULD **RELEASE BEFORE ASSEMBLY.**

MERCHANT SHIP (HATCH, OIL & FREIGHT) PARTS CAN BE FOUND ON THE TITAN CLASS HEAVY CONVEYOR SPRUES

HATCH



OIL



FREIGHT



